

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	30	RNDIS and @ad<"20031113"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 15:50
S4	4	@ad<"20031113" and (CDC near2 Ethernet)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 15:52
S5	1	@ad<"20031113" and (CDC near2 Ethernet) and RNDIS	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 15:52
S6	35	@ad<"20031113" and ("universal serial bus" or USB) and configuration and "network adaptor" and request and host	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 17:00
S7	39	@ad<"20031113" and ("universal serial bus" or USB) and configuration and "network adaptor" and host	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:44
S8	10249	@ad<"20031113" and ("universal serial bus" or USB) and configuration and host	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:45
S9	78	@ad<"20031113" and ("universal serial bus" or USB) and ("multiple configuration") and determine and host	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:45
S10	19	@ad<"20031113" and ("universal serial bus" or USB) and ("multiple configuration") and (host near7 determine)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:50

S11	31	@ad< "20031113" and ("universal serial bus" or USB) and ("multiple configuration") and ((host or server) near7 determine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:55
S12	53	@ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 determine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:58
S13	1	@ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:14
S14	1	@ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration" or "send configuration") and ((host or server) near7 "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:17
S15	1	@ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration" or "send configuration") and ((host or server) with "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:17
S16	2	@ad< "20031113" and ("sends configuration" or "send configuration") and ((host or server) with "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:17
S17	2	@ad< "20031113" and ("sends configuration" or "send configuration") with (host or server) and "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:21
S18	8	@ad< "20031113" and ("sends configuration" or "send configuration") and (host or server) and "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:22
S20	10	@ad< "20031113" and ("network adaptor" with determine) and active	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:29

S23	2	@ad<"20031113" and (((receive adj2 request) and from) and (host or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:02
S25	145028	@ad<"20031113" and receive and request and (host or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:06
S26	933	@ad<"20031113" and receive and request and (host or server) and 709/250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:06
S27	676	@ad<"20031113" and receive and request and (host or server) and 709/250.ccls. and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:07
S28	8	@ad<"20031113" and receive and request and (host or server) and 709/250.ccls. and "sends configuration"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:07
S29	274	@ad<"20031113" and receive and request and (host or server) and "709"/.ccls. and "sends configuration"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:08
S30	11	@ad<"20031113" and receive and request and (host or server) and "709"/.ccls. and "sends configuration" and "multiple configuration"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:09
S32	5	@ad<"20031113" and receive and request and (host or server) and "709"/.ccls. and "sends configuration" and "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:52
S33	5	@ad<"20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 determine) and (parse or parsing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 18:42

S34	438	@ad< "20031113" and ("universal serial bus" or USB) and ((host or server) near7 determine) and (parse or parsing) and select	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:34
S35	403	@ad< "20031113" and ("universal serial bus" or USB) and ((host or server) near7 determine) and (parse or parsing) and select and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:34
S39	120	@ad< "20031113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and select and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:37
S40	99	@ad< "20021113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and select and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:37
S41	1	@ad< "20021113" and ("universal serial bus" or USB) and (host or server) and (((parse or parsing) adj4 determine) adj4 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:43
S42	1	@ad< "20031113" and ("universal serial bus" or USB) and (host or server) and (((parse or parsing) adj4 determine) adj4 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:43
S43	2	@ad< "20031113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and configuration and (FNDIS or NDIS or CDC-Ethernet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:46
S45	1	@ad< "20031113" and ("universal serial bus" or USB) and (host or server) and (("network adaptor" or "network adapter") adj7 active)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 11:03
S46	33	@ad< "20031113" and (host or server) and (("network adaptor" or "network adapter") adj7 active)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 11:05

S47	2	"6681244".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 12:49
S49	2	"20060039290"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 12:57
S50	113	@ad<"20031113" and (("network adapter" or "network adaptor") adj4 ("enable" or "disable" or "activate"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 10:03
S51	1	"60426349"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 12:46
S54	26	@ad<"20021115" and rndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 14:33
S56	79	@ad<"20021115" and cdc and ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 14:33
S59	25	@ad<"20021115" and belcarra	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 14:34
S61	181	cdc and ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 16:19
S62	3	cdc and ethernet and rndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 16:19

S64	79	@ad<"20021115" and cdc and ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:43
S65	32	@ad<"20021115" and cdc and ethernet and network and (adapter or adaptor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:45
S66	2	"6532497".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 20:29
S67	1389	@ad<"20021115" and ((adapter or adaptor) with (activate or disable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 20:45
S68	6	@ad<"20021115" and (network adj2 ((adapter or adaptor) with (activate or disable)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 20:45
S69	17	@ad<"20021115" and "network adapter" and "multiple configurations"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:01
S70	127	@ad<"20021115" and "network adapter" and "multiple protocols"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:01
S71	144	S69 or S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:02
S72	46	@ad<"20021115" and "automatic configuration" and "network adapter"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 17:26

S74	75	"08/942311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 18:18
S77	2	"6170028".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 18:32
S78	27594693	@ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 23:30
S79	26187906	(@riad @ad)<"20021115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:31
S80	118139	("universal serial bus" or USB)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 23:33
S81	94	rndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 23:33
S82	2	cdc-ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 23:34
S83	3	"cdc ethernet"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 23:34
S84	19519	host same adapter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:35

S85	4526	host same adaptor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:35
S86	22967	S84 S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:35
S87	1560	(plurality multiple "more than one" "more than 1") same configuration same S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:37
S88	2	S87 same S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:37
S89	94	S81 S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:37
S90	0	S88 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:38
S91	34	S89 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:38
S92	642	S87 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:39
S93	210	(plurality multiple "more than one" "more than 1") with configuration with S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:40

S94	96	S93 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:40
S95	26187906	((@riad @ad)<"20021115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:13
S96	118139	("universal serial bus" or USB)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 13:13
S97	210	(plurality multiple "more than one" "more than 1") with configuration with S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:13
S98	96	S97 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:13
S99	96	S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:13
S100	96	S98 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:20
S101	25849970	@ad<"20021115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 13:21
S102	36005	((plurality multiple) adj3 configurations)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:28

S103	113	S102 same (usb "universal serial bus")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:29
S104	7	S103 same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:29
S105	762	host same request same first same second same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:32
S106	107	host same request same first same second same configuration same usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:33
S107	0	host same "first request" same "second request" same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:37
S108	0	host same "first request" same "second request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:37
S109	199	host same "first request" same "second request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:37
S110	12	host same "first request" same "second request" same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:38
S111	1	determin\$ with (multiple plurality) with of	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:46

S112	2806	(determin\$6 detect\$6) with (multiple plurality) with second with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:47
S113	124	(determin\$6 detect\$6) with (multiple plurality) with "second request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:48
S114	322	(determin\$6 detect\$6) same (multiple plurality) same "second request" same "first request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:53
S115	352	(determin\$6 detect\$6) same (multiple plurality again another "more than one") same "second request" same "first request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:53
S116	21	(determin\$6 detect\$6) same (multiple plurality again another "more than one") same "second request" same "first request" same host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:54
S117	21	(determin\$6 detect\$6) same (multiple plurality again another "more than one") "capable of more than") same "second request" same "first request" same host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:08
S118	1870	(multiple plurality again another "more than one") "capable of more than") same "second request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:09
S119	242	(multiple plurality again another "more than one") "capable of more than") same "second request" same sending	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:09
S120	220	(multiple plurality another "more than one" "capable of more than") same "second request" same sending	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:10

S121	158	(multiple plurality another "more than one" "capable of more than") same "second request" same sending same "first request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:10
S122	80	(multiple plurality another "more than one" "capable of more than") same "second request" same sending same "first request" same (host client server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:11
S123	15	(multiple plurality another "more than one" "capable of more than") same "second request" same sending same "first request" same configur \$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:11
S124	88	S122 or S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:11
S125	28	(indicat\$6 adj5 (multiple plurality again another "more than one" "capable of more than")) same "second request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:15
S126	12	(indicat\$6 adj5 (multiple plurality again another "more than one" "capable of more than")) same "second request" same response	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:16
S127	37567	network adj2 (adapter adaptor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:18
S128	15518	multiple adj2 configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:18
S129	33	"capable of"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:18

S130	11	S127 same S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:19
S131	2	S127 same S128 same usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:20
S132	15518	multiple adj2 configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:21
S133	49	S132 same usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:21
S134	38	indicat\$6 adj7 multiple adj2 configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:40
S135	5	(detect determine) adj7 usb adj2 configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:53
S136	1	S135 and pars\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:07
S137	1511	(multiple plurality another "more than one" "capable of") same configuration same usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:09
S138	226	(multiple plurality another "more than one" "capable of") same configuration same usb same (determine detect indicat \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:09

S139	5056540	(asks request inquire\$2) with (second again multiple) with (when if) (multiple "more than" additional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:19
S140	391948	S139 and host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:19
S141	63921	S139 with host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:19
S142	1706	S139 with host with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:20
S143	42	S142 with usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:20
S144	5056541	(asks request inquire\$2) with (second again multiple more) with (when if) (multiple "more than" additional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:22
S145	0	(asks request inquire\$2) with (second again multiple more) with (when if) with (multiple "more than" additional) with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:24
S146	7	(asks request inquire\$2) with (second again multiple more) with (when if) with (multiple "more than" additional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:24
S147	46437	(asks request inquire\$2) with (second again multiple more) with (multiple "more than" additional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:28

S148	889	(asks request inquire\$2) with (second again multiple more) with (multiple "more than" additional) with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:28
S149	2	(asks request inquire\$2) with (second again multiple more) with (multiple "more than" additional) with configurations with usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:28
S150	889	(asks request inquire\$2) with (second again multiple more) with (multiple "more than" additional) with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:28
S151	6	"second request" with (multiple "more than" additional) with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:31
S152	31	continues with request\$3 with until with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:34
S153	97	"GET_DESCRIPTOR"	US-PGPUB; USPAT	OR	OFF	2009/02/06 18:12
S154	1	second with "GET_DESCRIPTOR"	US-PGPUB; USPAT	OR	OFF	2009/02/06 18:12
S155	27607975	@ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/06 18:13
S156	17	S155 and S153	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/06 18:13
S157	27628933	@ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 13:09

S158	0	"network adapter" same (NDIS CDC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 13:10
S159	131	"network adapter" same (NDIS CDC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:10
S160	0	"network adapter" same (NDIS and CDC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:10
S161	69	"network adapter" with (NDIS CDC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:10
S162	39	S161 and S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:11
S163	1	"non-NDIS"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:22
S164	3	NDIS with incompatible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:22
S165	23	rndis with usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:25
S166	6	S157 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:25

S167	20	usb with apple with IBM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:26
S168	15	S157 and S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:26
S169	0	S157 and S167 and (rndis ndis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:27
S170	25865448	@ad< "20021115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 13:28
S171	16239	ndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 13:28
S172	42	ndis with usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 13:28
S173	13	S170 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 13:28
S174	300	network with adapter with flexibls6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 13:30
S175	0	network with (adapter adaptor) with flexibls6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 13:30

S176	312	network with (adapter adaptor) with flexibl\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:31
S177	102	S176 and S170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:31
S178	0	S177 and ndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:31
S179	0	S176 and S170 and (CDC near2 ethernet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:32
S180	7	S176 and S170 and usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:32
S181	784	usb with "network adapter"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:34
S182	78	usb with "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:34
S183	860	S181 S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:34
S184	98	S183 and S170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:34

S185	286698	(multiple plurality) with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:35
S186	29	S184 and S185	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:35
S187	251	host with select\$5 with (multiple plurality) with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:44
S188	108	S170 and S187	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:44
S189	24344	"network adapter" "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:45
S190	2	S188 and S189	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:45
S191	4	host with select\$5 with (multiple plurality) with compatible with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:46
S192	4	S191 and S170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:46
S193	0	"host selects from"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:53

S194	908	"host selects"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:53
S195	36	"host selects" with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:54
S196	19	S195 and S170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:54
S197	3	S195 and S170 and (usb ndis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 13:54
S198	274	(multiple plurality) with (usb "universal serial bus") with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 14:01
S199	36	(multiple plurality) with (usb "universal serial bus") with configuration with (compatible incompatible supported)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 14:01
S200	36	(multiple plurality) with (usb "universal serial bus") with configuration with (compatible incompatible supported unsupported)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 14:01
S201	5	S200 and S170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 14:02
S202	0	S172 and S174	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 14:19

S203	13	S172 and S170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 14:19
S204	66	"network adapter" with ndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 14:21
S205	353	"network adapter" with pcmcia	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 14:21
S206	784	"network adapter" with usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/06 14:21
S207	281	(S204 and S205) (S204 and S206) (S205 and S206)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 14:22
S208	10	S170 and S207	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 14:22

10/6/2009 6:43:22 PM

C:\Documents and Settings\rkeehn\My Documents\EAST\Workspaces\10705909.wsp